

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	187	acoustic\$4 near3 characteristic near3 (pipeline or pip\$3 or conduit or cylinder or tub\$3 or rod\$3 or cable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 12:36
L2	3	1 and (frequency near15 ("300" near3 Hz))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 12:38
L3	1	1 and (frequency near15 ("250" near3 Hz))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 12:39
L4	5	1 and (frequency near15 ("200" near3 Hz))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 12:39
L5	3	1 and (frequency near15 ("150" near3 Hz))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 12:40
L6	10	1 and (frequency near15 ("100" near3 Hz))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 12:40
L7	2	1 and (frequency near15 ("75" near3 Hz))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 12:40

L9	39096	(frequency near15 (("75" or "100" or "150" or "200" or "250" or "300") near3 (Hz or hertz)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 12:45
L10	287332	(condition or corrosion or debris or joint or bend\$3) near5 (pipeline or pip\$3 or conduit or cylinder or rod)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 12:50
L11	93683	vibrat\$4 near3 (data or frequency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 12:51
L12	790	9 and 10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 12:52
L13	228	12 and 11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 12:52
L14	649787	(generat\$3 or originat\$3) near5 data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 12:54
L15	24	13 and 14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 12:55
L16	605	9 and (pig or pill)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 13:03

L17	116926	(condition or corrosion) near5 (pipeline or pip\$3 or conduit or cylinder or rod)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 13:11
L18	74	16 and 17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 13:12
L19	29	18 and 14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 13:23
L20	999	(condition or corrosion) near5 (pipeline or pip\$3 or conduit or cylinder or rod) and (vibrat\$3 near3 (data or frequency))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 13:28
L21	85	14 and 20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 13:29
L22	2697	(condition or corrosion or crack\$3 or pits or (wall near3 thinning) or block\$4 or leak\$4 or (damage near3 (cladding or external or exterior))) near5 (pipeline or pip\$3 or conduit or cylinder or rod) and (vibrat\$3 near3 (data or frequency))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 13:43
L23	60	22 and pig	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 13:47

L24	5	23 and 9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 13:48
L25	376	(analy\$4 or dissect or (break near3 down)) near5 (frequency near15 (("75" or "100" or "150" or "200" or "250" or "300") near3 (Hz or hertz)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 13:55
L26	5	22 and 25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 13:56
L27	21	25 and pig	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 13:59
L29	2	generat\$3 near3 data near15 ((acoustic\$4 near3 (characteristic or trait)) or (vibrat\$4 near3 (frequency or amplitude)))) near15 (pipeline or pip\$3 or conduit or rod or cable or cylinder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 14:06
L31	172	(represent\$3 or correspond\$3 or correlat\$3) near15 ((acoustic\$4 near3 (characteristic or trait)) or (vibrat\$4 near3 (frequency or amplitude)))) near15 (pipeline or pip\$3 or conduit or rod or cable or cylinder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 14:08

L32	2	31 and pig	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 14:09
L33	6006	pig with ((noise near3 mak\$3) or noisemak\$3 or guide or seal or scrap\$4 or spacer \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 14:41
L34	2400	(corrod\$3 or corrosion or crack\$3 or pits or (wall near3 thinning) or block\$4 or leak\$4 or (damage near3 (cladding or external or exterior or interior or inside))) near5 (pipeline or pip\$3 or conduit or cylinder or rod) and (vibrat\$3 near3 (data or frequency or amplitude))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 14:43
L35	5	33 and 34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 14:46
L36	5	33 and (condition) near5 (pipeline or pip\$3 or conduit or cylinder or rod) and (vibrat\$3 near3 (data or frequency or amplitude))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/24 14:47

4/24/08 2:53:39 PM

C:\Documents and Settings\TBellamy\My Documents\EAST\workspaces\10675863.wsp